

- push_back**
 back_inserter, 341, 358
 sequential container (顺序容器), 88, 118, 306
 move-enabled (可移动的), 482
 strVec, 465
 move-enabled (可移动的), 482
push_front
 front_inserter, 358
 sequential container (顺序容器), 306
put, istream, 673
putback, istream, 673
- Q**
- Query**, 565
 << (output operator) (输出运算符), 568
 & (bitwise AND) (位与运算符), 565
 definition (定义), 570
 | (bitwise OR) (位或运算符), 565
 definition (定义), 569
 ~ (bitwise NOT) (位非运算符), 565
 definition (定义), 566
 classes (Query类), 563–566
 definition (定义), 567
 interface class (接口类), 564
 operations (操作), 562
 program (Query程序), 563
 recap (概述), 566
- Query_base**, 564
 abstract base class (抽象基类), 564
 definition (定义), 567
 member function (成员函数), 564
- QueryResult**, 431
 class definition (类定义), 434
 nested class (嵌套类), 747
 constructor (构造函数), 748
 print, 434
- queue**, 330, 333
 back, 330
 emplace, 330
 empty, 330
 equality and relational operators (相等和关系运算符), 330
 front, 330
 header (头文件), 330
 initialization (初始化), 329
 pop, 330
 push, 330
 sequential container (顺序容器), 329
 size, 330
 swap, 329
- Quote**
 class definition (类定义), 527
 design (设计), 526
- R**
- Raccoon**, virtual base class (Raccoon虚基类), 718
raise exception, see **throw** (抛出异常, 参见**throw**)
rand function, drawbacks (**rand**函数, 缺点), 660
random header (**random**头文件), 660
random IO (随机IO), 676
 machine-dependent (机器相关的), 677
 program (随机IO程序), 676
random-access iterator (随机访问迭代器), 366, 372
random-number library (随机数库), 660
 compared to **rand** function (与**rand**函数对比), 660
 distribution types (分布类型), 660, 681
 engine (引擎), 660, 681
 default_random_engine, 660
 max, min, 661
 retain state (保持状态), 662
 seed, 662, 681
 generator (生成器), 661, 681
 range (范围), 661
random_shuffle, 777
range for statement (范围for语句), 82, 118, 168, 168–170, 179
 can't add elements (不能添加元素), 91, 169
 multidimensional array (多维数组), 114
 not with dynamic array (不能和动态数组一起使用), 423
range_error, 176
rbegin, container (容器的**rbegin**操作), 298, 363
rdstate, stream (流的**rdstate**操作), 281
read
 istream, 676
 Sales_data, 234
reallocate, StrVec, 469
 move iterator version (移动迭代器版本), 480
recursion loop (递归循环), 204, 226, 539
recursive function (递归函数), 204, 226
 variadic template (可变参数模板), 620
ref, binds reference parameter (**ref**绑定引用参数), 356, 372
refactoring (重构), 542, 576
reference (引用), 45, 70
 see also lvalue reference (参见“左值引用”)
 see also rvalue reference (参见“右值引用”)
 auto deduces referred to type (**auto**推断引用的类型), 61
 collapsing rule (折叠规则), 608

- forward, 614
- lvalue arguments (左值实参), 608
- move, 611
- rvalue reference parameters (右值引用参数), 613
- const, *see reference to const* (参见“const的引用”)
- conversion (类型转换)
 - not from const (不从const转换), 55
 - to reference to const (转换为const的引用), 144
- data member, initialization (数据成员, 初始化), 259
- declaration style (声明风格), 51
- decltype yields reference type (decltype生成引用类型), 63
- definition (定义), 46
- derived-to-base conversion (派生类到基类的转换), 530
 - under multiple inheritance (多重继承下的转换), 712
- dynamic_cast operator (dynamic_cast运算符), 731
- initialization (初始化), 46
- member function (成员函数), 483
- parameter (形参), 188–192
 - bind, 356
 - limitations (限制), 192
 - template argument deduction (模板实参推断), 608–610
 - remove_reference, 605
- return type (返回类型), 201
 - assignment operator (赋值运算符), 443
 - is lvalue (返回类型是左值), 202
- return value, local variable (返回值, 局部变量), 201
- to array parameter (数组参数的引用), 195
- reference, container (容器的reference), 298
- reference count (引用计数), 402, 436, 455, 487
 - copy assignment (拷贝赋值操作), 455
 - copy constructor (拷贝构造函数), 455
 - design (设计), 455
 - destructor (析构函数), 455
 - HasPtr class (HasPtr类), 455–457
- reference to const (const的引用), 54, 70
 - argument (实参), 189
 - initialization (初始化), 55
 - parameter (形参), 189, 191
 - overloaded (重载), 208, 220
 - return type (返回类型), 203
- regex, 645, 681
 - error_type, 649
 - header (头文件), 645
- regex_error, 648, 681
- syntax_option_type, 647
- regex_constants, 658
 - match_flag_type, 658
- regex_error, 648, 681
- regex_match, 646, 681
- regex_replace, 657, 681
 - format flags (格式标志), 659
 - format string (格式字符串), 657
- regex_search, 646, 647, 681
- regular expression library (正则表达式库), 645, 681
 - case sensitive (大小写敏感), 647
 - compiled at run time (运行时编译), 648
 - ECMAScript, 647
 - file extension program (文件扩展名程序), 647
 - i before e program (查找i在e之前的文本的程序), 646
 - version 2 (版本2), 651
 - match data (匹配数据), 652
 - pattern (模式), 646
 - phone number (电话号码), valid, 655
 - phone number pattern (电话号码模式), 654
 - phone number program (电话号码程序), 654
 - phone number reformat, program (电话号码重排格式程序), 657
 - regex iterators (regex迭代器), 650
 - search functions (搜索函数), 657
 - smatch, provides context for a match (smatch, 为匹配提供了上下文), 652
 - subexpression (子表达式), 654
 - file extension program version 2 (文件扩展名程序版本2), 654
 - types (类型), 649
 - valid, program (valid程序), 655
- reinterpret_cast, 145, 145
 - machine-dependent (机器相关的), 146
- relational operators (关系运算符), 126, 127
 - arithmetic conversion (算术转换), 128
 - container adaptor (容器适配器), 329
 - container member (容器成员), 304
 - function object (函数对象), 509
 - iterator (迭代器), 99
 - overloaded operator (重载运算符), 498
 - pointer (指针), 107, 109
 - Sales_data, 499
 - string, 80
 - tuple, 638
 - vector, 92
- release, unique_ptr, 418
- remove, 777
 - list and forward_list (list和forward_list), 369

remove_copy, 777
remove_copy_if, 777
remove_from_Folders, Message, 463
remove_if, 777
 list and forward_list (list和forward_list), 369
remove_pointer, 606
remove_reference, 605
 move, 611
rend, container (容器), 298, 363
replace, 342, 774
 string, 322
replace_copy, 342, 774
replace_copy_if, 774
replace_if, 774
reserve
 string, 318
 vector, 318
reserved identifiers (保留标识符), 42
reset
 bitset, 644
 shared_ptr, 455, 471
 unique_ptr, 417
reset program (reset程序)
 pointer parameters (指针参数), 189
 reference parameters (引用参数), 188
resize
 invalidates iterator (使迭代器无效), 314
 sequential container (顺序容器), 314
 value initialization (值初始化), 314
restricted word_count program (受限制的word_count程序), 375
result (结果), 120, 150
 * (dereference), lvalue (解引用运算符, 左值), 121
 [] (subscript), lvalue (下标运算符, 左值), 121
 , (comma operator), lvalue (逗号运算符, 左值), 140
 ?: (conditional operator), lvalue (条件运算符, 左值), 134
 cast, lvalue (类型转换, 左值), 144
rethrow (重新抛出), 688
 exception object (异常对象), 688
 throw, 688, 723
return statement (return语句), 199, 199–204
 from main (从main返回), 203
 implicit return from main (从main隐式返回), 200
 local variable (局部变量), 201, 202
return type (返回类型), 2, 24, 182, 184, 226
 array (数组), 184
 array using decltype (使用decltype返回数组), 206
function (函数), 184
function pointer (函数指针), 222
 using decltype (使用decltype), 223
linkage directive (链接指示), 760
main, 2
member function (成员函数), 253
nonreference (非引用), 201
 copy initialized (拷贝初始化), 442
pointer (指针), 184
pointer to function (函数的指针), 184
reference (引用), 201
reference to const (const的引用), 201
reference yields lvalue (引用生成左值), 202
trailing (尾置返回类型), 206, 226, 353, 605
virtual function (虚函数), 538
void, 200
return value (返回值)
conversion (类型转换), 200
copy initialized (拷贝初始化), 442
initialization (初始化), 201
list initialization (列表初始化), 203, 380, 467
local variable, pointer (局部变量, 指针), 201
main, 2–4, 203
pair, 380, 467
reference, local variable (引用, 局部变量), 201
*this, 233, 246
tuple, 639
type checking (类型检查), 200
unique_ptr, 418
reverse, 777
 list and forward_list (list和forward_list), 369
reverse iterator (反向迭代器), 358, 363–365, 372
 ++ (increment) (递增运算符), 363
 -- (decrement) (递减运算符), 363
 base, 364
 compared to iterator (与迭代器对比), 364
reverse_copy, 369, 777
reverse_copy_if, 369
reverse_iterator
 compared to iterator (与iterator对比), 363
 container (容器), 297, 363
rfind, string, 326
right, manipulator (right操纵符), 671
rotate, 777
rotate_copy, 777
rule of three/five (三/五法则), 447, 478
 virtual destructor exception (虚析构函数异常), 552
run-time type identification (运行时类型识别), 730–735,
 763

- compared to virtual functions (与虚函数对比), 734
- dynamic_cast**, 730, **730**
- bad_cast**, 731
 - to pointer (转换为指针), 730
 - to reference (转换为引用), 731
- type-sensitive equality (类型敏感的相等判断), 734
- typeid**, **732**, 732
- returns **type_info** (返回**type_info**), 732
- runtime binding (运行时绑定), **527**, **576**
- runtime_error**, 194, 176
- initialization from **string** (从**string**初始化), 175
- rvalue**, **121**, **150**
- copy initialization, uses move constructor (拷贝初始化, 使用移动构造函数), 477
 - result (结果)
 - ++** (increment) postfix (后置递增), 131
 - (decrement) postfix (后置递减), 131
 - function nonreference return type (函数非引用返回类型), 201 - rvalue reference (右值引用), **471**, **487**
 - cast from lvalue (从左值转换), 612
 - collapsing rule (折叠规则), 609
 - compared to lvalue reference (与左值引用对比), 471
 - function matching (函数匹配), 477
 - initialization (初始化), 470
 - member function (成员函数), **483**
 - overloaded (重载), 484 - move**, 472
 - parameter (形参)
 - forwarding (转发), 612, 622
 - member function (成员函数), 481 - preserves argument type information (保持实参类型信息), 613
 - template argument deduction (模板实参推断), 608
 - variable (变量), 471
- ## S
- Sales_data**
- compareIsbn**, 345
 - +=** (compound assignment) (复合赋值运算符), 500
 - +** (addition) (加法运算符), 497
 - ==** (equality) (相等运算符), 497
 - !=** (inequality) (不等运算符), 497
 - >>** (input operator) (输入运算符), 495
 - <<** (output operator) (输出运算符), 494
 - add**, 234
- addition program (加法程序), 66
- avg_price**, 232
- bookstore program (书店程序), 229
- using algorithms (使用算法), 360
- class definition (类定义), 64, 240
- combine**, 230
- compareIsbn**, 379
- with associative container (与关联容器一起使用), 379
- constructors (构造函数), 236–239
- converting constructor (转换构造函数), 264
- default constructor (默认构造函数), 235
- exception classes (异常类), 694
- exception version (带异常处理版本)
- +=** (compound assignment) (复合赋值运算符), 695
 - +** (addition) (加法运算符), 694
- explicit constructor** (**explicit**构造函数), 265
- isbn**, 231
- operations (操作), 228
- print**, 234
- read**, 234
- relational operators (关系运算符), 499
- Sales_data.h** header (**Sales_data.h**头文件), 67
- Sales_item**, 17
- +** (addition) (加法运算符), 18
 - >>** (input operator) (输入运算符), 18
 - <<** (output operator) (输出运算符), 18
 - addition program (加法程序), 19
 - bookstore program (书店程序), 21
 - isbn**, 20
 - operations (操作), 17
- Sales_item.h** header (**Sales_item.h**头文件), 17
- scientific manipulator** (**scientific**操纵符), 670
- scope (作用域), **44**, **70**
- base class (基类), 547
 - block (块), **44**, **70**, 155
 - class (类), 65, **253**, 253–257, 245
 - static member (static成员), 270
- compared to object lifetime (与对象生命周期对比), 184
- derived class (派生类), 547
- friend** (友元), 242, 252
- function (函数), 184
- global (全局作用域), **44**, **70**
- inheritance (继承), 547–551
- member function (成员函数), 253
- parameters and return type (参数和返回类型), 253
- multiple inheritance (多重继承), 715
- name collisions, using directive (名字冲突,

using 指示), 704
namespace (命名空间), 695–700
nested class (嵌套类), 747
overloaded function (重载函数), 210
statement (语句), 155
template parameter (模板参数), 592
template specialization (模板特例化), 626
using directive (using 指示), 703
virtual function (虚函数), 550
scoped enumeration (限定作用域的枚举类型), 736, 763
enum class, 736
Screen, 243
pos member (pos 成员), 243
concatenating operations (连接操作), 247
do_display, 248
friends (友元), 250
get, 244, 253
get_cursor, 739
Menu function table (Menu 函数表), 743
move, 744
move members (move 成员), 247
set, 247
search, 772
search_n, 771
seed, random-number engine (随机数引擎种子), 663
seekp, seekg, 676–679
self-assignment (自赋值)
copy and swap assignment (拷贝并交换赋值操作), 459
copy assignment (拷贝赋值操作), 454
explicit check (显式检查), 480
HasPtr
reference counted (引用计数), 456
valuelike (类值), 454
Message, 463
move assignment (移动赋值操作), 475
pitfalls (误区), 454
StrVec, 467
semicolon (;) (分号), 3
class definition (类定义), 65
null statement (空语句), 154
separate compilation (分离式编译), 41, 71, 226
compiler options (编译器选项), 186
declaration vs. definition (声明与定义), 41
templates (模板), 581
sequential container (顺序容器), 299, 333
array, 292
deque, 292
forward_list, 292
initialization (初始化), 299–301
list, 292
list initialization (列表初始化), 300
members (成员)
assign, 302
back, 309
clear, 312
emplace, 308
emplace_back, 308
emplace_front, 308
erase, 312
front, 309
insert, 307
pop_back, 311
pop_front, 311
push_back, 118
push_back, 90, 306, 482
push_front, 306
resize, 314
value_type, 298
performance characteristics (性能特点), 292
priority_queue, 330
queue, 330
stack, 329
value initialization (值初始化), 300
vector, 292
set, 374, 398
see also ordered container (参见“有序容器”)
bitset, 644
header (头文件), 374
insert, 383
iterator, 382
key_type requirements (key_type 要求), 378
list initialization (列表初始化), 377
lower_bound, 390
TextQuery class (TextQuery 类), 431
upper_bound, 390
word_count program (word_count 程序), 375
set_difference, 779
set_intersection, 573, 779
set_symmetric_difference, 779
set_union, 779
setfill, manipulator (setfill 操纵符), 671
setprecision, manipulator (setprecision 操纵符), 669
setstate, stream (流 setstate 操作), 281
setw, manipulator (setw 操纵符), 671
shared_ptr, 400, 400–406, 412–417, 436
* (dereference) (解引用运算符), 401
copy and assignment (拷贝和赋值), 402
definition (定义), 400
deleter (删除器), 416, 436
bound at run time (运行时绑定), 599
derived-to-base conversion (派生类到基类的转换), 558

destructor (析构函数), 402
 dynamically allocated array (动态分配数组), 426
 exception safety (异常安全的), 415
 factory program (factory程序), 402
 initialization (初始化), 412
 make_shared, 401
 pitfalls (误区), 416
 reset, 414
 StrBlob, 404
 TextQuery class (TextQuery类), 431
 with new (和new一起使用), 412
 short, 30
 short-circuit evaluation (短路求值), 126, 150
 && (logical AND) (逻辑与运算符), 126
 || (logical OR) (逻辑或运算符), 126
 not in overloaded operator (重载的运算符不支持),
 491
 ShorterString, 508
 () (call operator) (调用运算符), 508
 shorterString, 201
 showbase, manipulator (showbase操纵符), 668
 showpoint, manipulator (showpoint操纵符), 671
 shrink_to_fit
 deque, 318
 string, 318
 vector, 318
 shuffle, 777
 signed, 32, 71
 char, 32
 conversion to unsigned (转换为unsigned值),
 32, 142
 out-of-range value (越界值), 33
 signed type (带符号类型), 31
 single-line (//), comment (单行注释//), 8, 23
 size
 container (容器), 79, 91, 118, 304
 priority_queue, 330
 queue, 330
 returns unsigned (返回unsigned值), 80
 stack, 330
 StrVec, 465
 size_t, 103, 118, 644
 array subscript (数组下标), 103
 size_type, container (容器的size_type), 79, 91,
 118, 297
 SizeComp, 508
 () (call operator) (调用运算符), 508
 sizeof, 139, 150
 array (数组), 139
 data member (数据成员), 139
 sizeof..., parameter pack (参数包的sizeof...), 619
 skipws, manipulator (skipws操纵符), 672
 sliced (切掉), 535, 576
 SmallInt
 + (addition) (加法运算符), 521
 conversion operator, 514
 smart pointer (智能指针), 400, 436
 exception safety (异常安全的), 415
 pitfalls (误区), 416
 smatch, 646, 649, 680, 681
 prefix, 652
 provide context for a match (为匹配提供上下文),
 651
 suffix, 652
 sort, 343, 775
 source file (源文件), 4, 24
 specialization, *see* template specialization (特例化, 参见
 “模板特例化”)
 splice, list, 370
 splice_after, forward_list, 370
 sregex_iterator, 649, 681
 i before e program (查找在e之前的文本的程序),
 651
 sstream
 file marker (文件标记), 676
 header (头文件), 278, 287
 off_type, 677
 pos_type, 677
 random access (随机访问), 676
 random IO program (随机IO程序), 677
 seek和tell, 676–681
 ssub_match, 649, 652, 681
 example (例子), 655
 stable_partition, 775
 stable_sort, 345, 775
 stack, 330, 333
 emplace, 330
 empty, 330
 equality and relational operators (相等和关系运算
 符), 329
 header (头文件), 330
 initialization (初始化), 329
 pop, 330
 push, 330
 sequential container (顺序容器), 330
 size, 330
 swap, 330
 top, 330
 stack unwinding, exception handling (栈展开, 异常处理),
 684, 723
 standard error (标准错误), 5, 24
 standard header (标准头文件), #include, 5, 18
 standard input (标准输入), 5, 24
 standard library (标准库), 5, 24

- standard output (标准输出), 5, 24
statement (语句), 2, 24
 block, *see* block (语句块, 参见“块”)
 break, 170, 178
 compound (复合语句), 155, 178
 continue, 171, 178
 do while, 169, 178
 expression (表达式), 154, 178
 for, 11, 24, 166, 166–168, 179
 goto, 172, 179
 if, 15, 24, 156, 156–159, 179
 labeled (带标签语句), 172, 179
 null (空语句), 154, 179
 range for (范围for语句), 82, 167, 167–169, 179
 return, 199, 199–204
 scope (作用域), 155
 switch, 159, 159–145, 179
 while, 10, 25, 165, 165–166, 179
statement label (语句标签), 172
static (file static) (文件内静态定义), 701, 723
static member (静态成员)
 Account, 269
 class template (类模板), 591
 accessed through an instantiation (通过实例化访问), 591
 definition (定义), 591
 const data member, initialization (const数据成员, 初始化), 270
 data member (数据成员), 268
 definition (定义), 270
 default argument (默认实参), 271
 definition (定义), 270
 inheritance (继承), 532
 instantiation (实例化), 591
 member function (成员函数), 269
 nested class (嵌套类), 747
 scope (作用域), 270
static object, local (局部静态对象), 185, 226
static type (静态类型), 534, 576
 determines name lookup (确定名字查找), 547, 549
 multiple inheritance (多重继承), 713
static type checking (静态类型检查), 42
static_cast, 145, 145
 lvalue to rvalue (左值到右值的静态转换), 612
std, 7, 25
std::forward, *see* forward (参见forward)
std::move, *see* move (参见move)
stdexcept header (stdexcept头文件), 174, 176
stod, 328
stof, 328
stoi, 328
stol, 328
stold, 328
stoll, 328
store, free (自由空间), 400, 436
stoul, 328
stoull, 328
str, string streams (字符串流), 289
StrBlob, 405
 back, 406
 begin, 422
 check, 406
 constructor (构造函数), 405
 end, 422
 front, 406
 pop_back, 406
 shared_ptr, 404
StrBlobPtr, 421
 ++ (increment) (递增运算符), 502
 -- (decrement) (递减运算符), 502
 * (dereference) (解引用运算符), 504
 -> (arrow operator) (箭头运算符), 504
 check, 421
 constructor (构造函数), 421
 deref, 422
 incr, 422
 weak_ptr, 421
strcat, 110
strcmp, 110
strcpy, 110
stream (流)
 as condition (作为条件), 13, 144, 280
 clear, 281
 explicit conversion to bool (explicit转换为bool值), 516
 file marker (文件标记), 676
 flushing buffer (刷新缓冲区), 282
 format state (格式状态), 666
 istream_iterator, 359
 iterator (迭代器), 357, 359–362, 372
 type requirements (类型要求), 362
 not flushed if program crashes (如果程序崩溃不刷新缓冲区), 282
 ostream_iterator, 359
 random IO (随机IO), 676
 rdstate, 281
 setstate, 281
strict weak ordering (严格弱序), 378, 398
string, 71, 75–84, 118
 see also container (参见“容器”)
 see also sequential container (参见“顺序容器”)
 see also iterator (参见“迭代器”)
 [](subscript) (下标运算符), 84, 118, 310

+= (compound assignment) (复合赋值运算符), 80
 + (addition) (加法运算符), 80
 >> (input operator) (输入运算符), 77, 118
 >>(input operator) as condition (输入运算符作为
 条件), 77
 << (output operator) (输出运算符), 77, 118
 and string literal (和字符串字面值常量), 80–81
 append, 323
 assign, 323
 at, 311
 C-style string (C风格字符串), 111
 c_str, 111
 capacity, 318
 case sensitive (大小写敏感), 325
 compare, 327
 concatenation (连接), 80
 default initialization (默认初始化), 40
difference_type, 100
 equality and relational operators (相等和关系运算
 符), 80
 erase, 323
 find, 325
 find_first_not_of, 325
 find_last_not_of, 326
 find_last_of, 326
 getline, 78, 287
 header (头文件), 66, 67, 75
 initialization (初始化), 75–76, 320–322
 initialization from string literal (从字符串字面值
 常量初始化), 76
 insert, 323
 move constructor (移动构造函数), 468
 numeric conversions (数值类型转换), 327
 random-access iterator (随机访问迭代器), 366
 replace, 323
 reserve, 318
 rfind, 326
 subscript range (下标范围), 85
 substr, 321
TextQuery class (*TextQuery类*), 431
 string literal (字符串字面值常量), 6, 24, 36
 see also C-style string (参见“C风格字符串”)
 and string (和string), 80–81
 concatenation (连接), 36
stringstream, 287, 287–289, 290
 initialization (初始化), 287
 strlen, 109
 struct
 see also class (参见“类”)
 default access specifier (默认访问说明符), 240
 default inheritance specifier (默认继承说明符), 546
StrVec, 464
 [](subscript) (下标运算符), 501
 = (assignment) (赋值运算符),
 initializer_list, 499
 alloc_n_copy, 467
 begin, 465
 capacity, 465
 chk_n_alloc, 465
 copy assignment (拷贝赋值运算符), 467
 copy constructor (拷贝构造函数), 467
 default constructor (默认构造函数), 466
 design (设计), 464
 destructor (析构函数), 467
 emplace_back, 622
 end, 465
 free, 467
 memory allocation strategy (内存分配策略), 465
 move assignment (移动赋值运算符), 474
 move constructor (移动构造函数), 473
 push_back, 466
 move-enabled (可移动的), 482
 reallocate, 469
 move iterator version (移动迭代器版本), 480
 size, 466
 subexpression (子表达式), 681
 subscript range (下标范围), 84
 array (数组), 104
 string, 85
 validating (合法性检查), 93
 vector, 94
 substr, string, 321
 suffix, smatch, 652
sum, program (sum程序), 604
swap, 457
 array, 303
 container (交换容器), 303
 container nonmember version (交换容器的非成员
 版本), 303
 copy and swap assignment operator (拷贝并交换
 赋值运算符), 459
 priority_queue, 330
 queue, 330
 stack, 330
 typical implementation (典型实现), 457–459
swap program (swap程序), 200
swap_ranges, 774
switch statement (switch语句), 160, 160–163, 179
 default case label (default case标签),
 162
 break, 160–162, 170
 compared to if (与if对比), 159
 execution flow (执行流), 161
 variable definition (变量定义), 163

`syntax_option_type, regex`, 647
synthesized (合成的)
 copy assignment (拷贝赋值运算符), 443, 487
 copy constructor (拷贝构造函数), 440, 487
 copy control (拷贝控制成员), 239
 as deleted function (删除函数), 450
 as deleted in derived class (派生类中的删除函数), 553
 `Bulk_quote`, 553
 multiple inheritance (多重继承), 712
 virtual base class (虚基类), 721
 virtual base classes (多个虚基类), 721
 `volatile`, 758
 default constructor (默认构造函数), 236, 274
 derived class (派生类), 552
 members of built-in type (内置类型成员), 236
 destructor (析构函数), 446, 487
 move operations (移动操作)
 deleted function (删除函数), 476
 not always defined (不总是定义), 476

T

`\t` (tab character) (制表符), 36
`tellp, tellg`, 676–679
template (模板)
 see also class template (参见“类模板”)
 see also function template (参见“函数模板”)
 see also instantiation (参见“实例化”)
 declaration (声明), 592
 link time errors (链接时错误), 582
 overview (概述), 578
 parameter, *see* template parameter (参数, 参见“模板参数”)
 parameter list (参数列表), 631
 template argument (模板实参), 579, 631
 explicit (显式实参), 584, 630
 template member, *see* member template (模板成员, 参见“成员模板”)
 type alias (类型别名), 590
 type transformation templates (类型转换模板), 605, 631
 type-dependencies (类型依赖), 583
 variadic, *see* variadic template (可变参数, 参见“可变参数模板”)
template argument deduction (模板实参推断), 600, 631
 `compare`, 602
 explicit template argument (显式模板实参), 604
 function pointer (函数指针), 607
 limited conversions (类型转换限制), 601
 low-level `const` (底层 `const`), 613
 rvalue reference parameter (左值引用参数), 608


multiple function parameters (用作多个函数参数类型), 602
parameter with nontemplate type (非模板类型参数), 602
reference parameters (引用参数), 608–610
rvalue reference parameter (右值引用参数), 608
top-level `const` (顶层 `const`), 601
template class, *see* class template (模板类, 参见“类模板”)
template function, *see* function template (模板函数, 参见“函数模板”)
template parameter (模板参数), 578, 631
 default template argument (默认模板实参), 594
 class template (类模板), 594
 function template (函数模板), 594
 name (名字), 592
 restrictions on use (使用上的限制), 592
 nontype parameter (非类型参数), 580, 630
 must be constant expression (必须是常量表达式), 581
 type requirements (类型要求), 580
scope (作用域), 592
template argument deduction (模板实参推断), 602
type parameter (类型参数), 580, 580, 631
 as friend (作为友元), 590
 used in template class (用于模板类中), 584
template parameter pack (模板参数包), 618, 631
 expansion (扩展), 621
 pattern (模式), 621
template specialization (模板特例化), 625, 624–629, 631
 class template (类模板), 626–629
 class template member (类模板成员), 628
 `compare` function template (`compare` 函数模板), 624
 compared to overloading (与重载对比), 625
 declaration dependencies (声明依赖), 626
 function template (函数模板), 625
 `hash<key_type>`, 626, 698
 headers (头文件), 626
 of namespace member (命名空间成员的特例化), 626, 698
partial, class template (类模板部分特例化), 628, 630
scope (作用域), 626
template<>, 625
template<>
 default template argument (默认模板实参), 594
 template specialization (模板特例化), 625
temporary (临时量对象), 55, 71
terminate function (`terminate` 函数), 685, 723
 exception handling (异常处理), 175, 178
 machine-dependent (机器相关), 175

- terminology (术语)
 - `const reference` (`const引用`) , 54
 - `iterator` (迭代器) , 97
 - `object` (对象) , 39
 - `overloaded new and delete` (重载`new`和`delete`) , 727
 - `test, bitset`, 644
 - `TextQuery`, 431
 - `class definition` (类定义) , 432
 - `constructor` (构造函数) , 433
 - `main program` (`main`程序) , 431
 - `program design` (程序设计) , 430
 - `query`, 434
 - `revisited` (再探) , 562
 - `this pointer` (`this`指针) , 231, 274
 - `static members` (`static`成员) , 269
 - `as argument` (`this`指针作为参数) , 239
 - `in return` (`this`指针在`return`语句中) , 233
 - `overloaded` (重载)
 - `on const` (对`const`重载) , 247
 - `on lvalue or rvalue reference` (对左值或右值引用重载) , 483
 - `throw`, 173, 173, 178, 684, 723
 - `execution flow` (执行流) , 175, 684
 - `pointer to local object` (局部对象的指针) , 686
 - `rethrow` (重新抛出) , 688, 723
 - `runtime_error`, 174
 - `throw()`, exception specification (异常说明) , 691
 - `tie member` (`tie`成员) , `ostream`, 283
 - `to_string`, 328
 - `Token`, 751
 - `assignment operators` (赋值运算符) , 751
 - `copy control` (拷贝控制) , 753
 - `copyUnion`, 753
 - `default constructor` (默认构造函数) , 752
 - `discriminant` (判别式) , 752
 - `tolower`, 83
 - `top`
 - `priority_queue`, 330
 - `stack`, 330
 - `top-level const` (顶层`const`) , 57, 71
 - `and auto` (和`auto`) , 61
 - `argument and parameter` (实参和形参) , 190
 - `decltype`, 63
 - `parameter` (形参) , 208
 - `template argument deduction` (模板实参推断) , 600
 - `toupper`, 83
 - `ToyAnimal`, virtual base class (虚基类) , 721
 - `trailing return type` (尾置返回类型) , 206, 226
 - `function template` (函数模板) , 605
 - `lambda expression` (`lambda`表达式) , 353
 - `pointer to array` (数组的指针) , 206
 - `pointer to function` (函数的指针) , 223
 - `transform`
 - `algorithm` (算法) , 353, 773
 - `program` (程序) , 393
 - `translation unit` (编译单元) , 3
 - `trunc (file mode)` (文件模式) , 286
 - `try block` (`try`块) , 172, 174, 178, 684, 724
 - `tuple`, 637, 680
 - `findBook, program` (`findBook`程序) , 639
 - `equality and relational operators` (相等和关系运算符) , 638
 - `header` (头文件) , 636
 - `initialization` (初始化) , 637
 - `make_tuple`, 637
 - `return value` (返回值) , 638
 - `value initialization` (值初始化) , 637
 - `type` (类型)
 - `alias` (别名) , 60, 71
 - `template` (模板) , 590
 - `alias declaration` (别名声明) , 60
 - `arithmetic` (算术类型) , 30, 69
 - `built-in` (内置类型) , 2, 23, 30–32
 - `checking` (类型检查) , 42, 71
 - `argument and parameter` (实参和形参) , 183
 - `array reference parameter` (数组引用参数) , 195
 - `function return value` (函数返回类型) , 200
 - `name lookup` (名字查找) , 210
 - `class` (类型) , 17, 23
 - `compound` (复合类型) , 45, 45–52, 69
 - `conversion`, *see conversion* (类型转换, 参见`conversion`)
 - `dynamic` (动态类型) , 534, 575
 - `incomplete` (不完全类型) , 250, 274
 - `integral` (整形类型) , 30, 70
 - `literal` (字面值常量) , 59
 - `class type` (类类型) , 267
 - `specifier` (说明符) , 37, 71
 - `static` (静态类型) , 534, 576
 - `type alias declaration` (类型别名声明) , 61, 69, 71
 - `pointer, to array` (数组的指针) , 206
 - `pointer to function` (函数的指针) , 222
 - `pointer to member` (成员的指针) , 742
 - `template type` (模板类型) , 590
 - `type independence, algorithms` (类型无关算法) , 337
 - `type member, class` (类型成员, 类) , 243
 - `type parameter`, *see template parameter* (类型参数, 参见“模板参数”)
 - `type transformation templates` (类型转换模板) , 605, 631
 - `type_traits`, 606
 - `type_info`, 763
 - `header` (头文件) , 176
 - `name`, 735

- no copy or assign (无拷贝或赋值), 735
operations (操作), 735
returned from typeid (从 typeid 返回 type_info), 732
- type_traits**
header (头文件), 605
remove_pointer, 606
remove_reference, 605
and move (和 move), 611
- type transformation templates (类型转换模板), 606
- typedef, 60, 71**
const, 61
and pointer, to const (与 const 的指针), 61
pointer, to array (数组的指针), 206
pointer to function (函数的指针), 222
- typeid operator** (typeid 运算符), 732, 732, 763
returns type_info (返回 type_info), 732
- typeinfo header** (typeinfo 头文件), 731, 732, 735
- typename**
compared to class (与类比较), 580
required for type member (类型成员所需要的), 593
template parameter (模板参数), 579
- ## U
- unary operators** (一元运算符), 120, 150
overloaded operator (重载运算符), 490
- unary predicate** (一元谓词), 344, 372
- unary_function** deprecated (unary_function, 已弃用), 513
- uncaught exception (未捕获的异常), 685
- undefined behavior** (未定义行为), 33, 71
base class destructor not virtual (基类析构函数不是虚函数), 552
bitwise operators and signed values (位运算符和带符号值), 136
caching end() iterator (缓存 end() 返回的迭代器), 316
cstring functions (cstring 函数), 109
dangling pointer (空悬指针), 411
default initialized members of builtin type (默认初始化内置类型成员), 236
delete of invalid pointer (delete 无效指针), 409
destination sequence too small (目的序列太小), 341
element access empty container (访问空容器中的元素), 309
invalidated iterator (使迭代器无效), 96, 315
missing return statement (缺少返回语句), 201
misuse of smart pointer get (误用智能指针的 get), 414
omitting [] when deleting array (释放数组时忘记 []), 425
operand order of evaluation (运算对象求值顺序), 123, 133
out-of-range subscript (下标越界), 84
out-of-range value assigned to signed type (赋予带符号类型的值越界), 33
overflow and underflow (向上溢出和向下溢出), 125
pointer casts (指针类型转换), 145
pointer comparisons (指针比较), 109
return reference or pointer to local variable (返回指向局部变量的引用或指针), 201
string invalid initializer (**string** 的无效初始值), 321
uninitialized (未初始化的)
dynamic object (动态对象), 407
local variable (局部变量), 184
pointer (指针), 48
variable (变量), 41
using unconstructed memory (使用未构造的内存), 428
using unmatched match object (使用未匹配的 match 对象), 653
writing to a const object (向 const 对象写入值), 145
wrong deleter with smart pointer (错误的智能指针删除器), 426
- underflow_error**, 176
- unformatted IO** (未格式化 IO), 673, 681
istream, 673
multi-byte, istream (多字节 istream), 675
single-byte, istream (单字节 istream), 673
- unget**, istream, 673
- uniform_int_distribution**, 661
- uniform_real_distribution**, 664
- uninitialized** (未初始化的), 7, 24, 40, 71
pointer, undefined behavior (未初始化指针, 未定义行为), 48
variable, undefined behavior (未初始化变量, 未定义行为), 41
- uninitialized_copy**, 429
move iterator (移动迭代器), 480
- uninitialized_fill**, 429
- union**, 749, 763
anonymous (匿名), 750, 762
class type member (类类型成员), 750
assignment operators (赋值运算符), 751
copy control (拷贝控制), 753
default constructor (默认构造函数), 752

- deleted copy control (删除的拷贝控制成员), 751
- placement new (定位new), 753
- definition (定义), 750
- discriminant (判别式), 752
- restrictions (限制), 749
- unique, 343, 777
 - list and forward_list (list和forward_list), 369
- unique_copy, 359, 777
- unique_ptr, 400, 417–420, 436
 - * (dereference) (解引用运算符), 400
 - copy and assignment (拷贝和赋值), 417
 - definition (定义), 417, 419
 - deleter (删除器), 419, 436
 - bound at compile time (编译时绑定), 600
 - dynamically allocated array (动态分配数组), 425
 - initialization (初始化), 417
 - pitfalls (误区), 417
 - release, 418
 - reset, 418
 - return value (返回值), 418
 - transfer ownership (转移所有权), 418
 - with new (和new一起使用), 417
- unitbuf, manipulator (unitbuf操纵符), 282
- unnamed namespace (未命名的命名空间), 700, 724
 - local to file (文件的局部名字), 700
 - replace file static (代替文件的static声明), 701
- unordered container, 394, 398
 - see also container (参见“容器”)
 - see also associative container (参见“关联容器”)
 - bucket management (桶管理), 395
 - hash<key_type> specialization
 - (hash<key_type>特例化), 626, 698
 - compatible with == (equality) (与相等运算符==兼容), 627
 - key_type requirements (key_type的要求), 396
 - override default hash (覆盖默认哈希函数), 396
- unordered_map, 398
 - see also unordered container (参见“无序容器”)
 - * (dereference) (解引用运算符), 382
 - [](subscript) (下标运算符), 387, 398
 - adds element (添加元素), 387
 - at, 387
 - definition (定义), 376
 - header (头文件), 374
 - list initialization (列表初始化), 377
 - word_count program (word_count程序), 394
- unordered_multimap, 398
 - see also unordered container (参见“无序容器”)
- * (dereference) (解引用运算符), 382
- definition (定义), 376
- has no subscript operator (无下标运算符), 387
- insert, 385
- list initialization (列表初始化), 377
- unordered_multiset, 398
 - see also unordered container (参见“无序容器”)
 - insert, 385
 - iterator, 382
 - list initialization (列表初始化), 377
 - override default hash (覆盖默认哈希函数), 396
- unordered_set, 398
 - see also unordered container (参见“无序容器”)
 - header (头文件), 374
 - iterator, 382
 - list initialization (列表初始化), 377
- unscoped enumeration (不限定作用域枚举类型), 737, 764
 - as union discriminant (作为union的判别式), 752
 - conversion to integer (转换为整数), 738
 - enum, 736
- unsigned, 31, 71
 - char, 32
 - conversion (类型转换), 33
 - conversion from signed (从signed类型进行转换), 32
 - conversion to signed (转换为signed类型), 142
 - literal (numU or numu) (字面值常量, 数值后跟U或u), 37
 - size return type (size返回类型), 79
- unsigned type (无符号类型), 31
- unwinding, stack (栈展开), 684, 723
- upper_bound
 - algorithm (算法), 772
 - ordered container (有序容器), 390
 - used in Basket (用于Basket), 560
- uppercase, manipulator (uppercase操纵符), 668
- use count, see reference count (使用计数, 参见“引用计数”)
- user-defined conversion, see class type conversion (用户定义的类型转换, 参见“类类型转换”)
- user-defined header (用户自定义头文件), 67–68
 - const 和 constexpr, 67
 - default argument (默认实参), 213
 - function declaration (函数声明), 186
 - #include, 18
 - inline function (inline函数), 215
 - inline member function definition (inline成员函数定义), 244
 - template definition (模板定义), 582

- template specialization (模板特例化), 625
using =, see type alias declaration (参见“类型别名声明”)
using declaration (*using*声明), **74, 118, 702, 724**
 access control (访问控制), 544
 not in header files (不要置于头文件中), 75
 overloaded function (重载函数), 708
 overloaded inherited functions (重载继承的函数), 551
 scope (作用域), 703
using directive (*using*指示), **703, 724**
 overloaded function (重载函数), 709
pitfalls (误区), 704
scope (作用域), 703, 704
 name collisions (名字冲突), 704
utility header (*utility*头文件), 379, 469, 472, 614
- V**
- valid*, program (*valid*程序), 655
valid but unspecified (有效但未指定), 475
valid pointer (有效指针), 47
value initialization (值初始化), **88, 118**
 dynamically allocated, object (动态分配, 对象), 407
 map subscript operator (映射的下标运算符), 387
 new [], 424
 resize, 314
 sequential container (顺序容器), 300
 tuple, **637**
 uses default constructor (使用默认构造函数), 262
 vector, 88
value_type
 associative container (关联容器), 381, 397
 sequential container (顺序容器), 298
valuelike class, copy control (类值类, 拷贝控制), 453
varargs, 199
variable (变量), **7, 25, 38, 38–45, 71**
 const, 53
 constexpr, 59
 declaration (声明), 41
 class type (类类型), 263
 define before use (先定义后使用), 42
 defined after label (在标签后定义), 163, 172
 definition (定义), 38, 41
 extern, 41
 *extern*和*const*, 54
 initialization (初始化), 39, 40, 70
 is lvalue (左值), 471
 lifetime (生命周期), 184
 local (局部变量), **184, 226**
 preprocessor (预处理器), 70
- variadic template* (可变参数模板), **618, 631**
declaration dependencies (声明依赖), 621
forwarding (转发), 622
 usage pattern (使用模式), 624
function matching (函数匹配), 620
pack expansion (包扩展), 621–622
parameter pack (参数包), 618
print program (*print*程序), 620
recursive function (递归函数), 620
 sizeof..., 619
vector, **86–94, 118, 333**
 see also container (参见“容器”)
 see also sequential container (参见“顺序容器”)
 see also iterator (参见“迭代器”)
 [](subscript) (下标运算符), **92, 118, 310**
 = (assignment) (赋值), list initialization (列表初始化), 129
 at, 310
 capacity, 318
 capacity program (容量程序), 318
 definition (定义), 87
 difference_type, **100**
 erase, changes container size (改变容器大小), 343
 header (头文件), 86, 294
 initialization (初始化), 87–90, 299–301
 initialization from array (从数组初始化), 111
 list initialization (列表初始化), 88, 300
 memory management (内存管理), 317
 overview (概述), 292
 push_back, invalidates iterator (使迭代器失效), 316
 random-access iterator (随机访问迭代器), 366
 reserve, 318
 subscript range (下标范围), 94
 TextQuery class (*TextQuery*类), 431
 value initialization (值初始化), 88, 300
versible function (可行函数), **217, 226**
 see also function matching (参见“函数匹配”)
virtual base class (虚基类), **717, 724**
 ambiguities (二义性), 719
 Bear, 718
 class derivation list (类派生列表), 718
 conversion (类型转换), 719
 derived class constructor (派生类构造函数), 720
 iostream, 717
 name lookup (名字查找), 719
 order of destruction (析构顺序), 721
 order of initialization (初始化顺序), 720
 ostream, 717
 Raccoon, 718
 ToyAnimal, 721



ZooAnimal, 717
 virtual function (虚函数), 526, 528, 535–541, 576
 compared to run-time type identification (与运行时类型识别比较), 734
 default argument (默认实参), 539
 derived class (派生类), 529
 destructor (析构函数), 552
 exception specification (异常说明), 692
 final specifier (final说明符), 538
 in constructor, destructor (在构造函数和析构函数中调用虚函数), 556
 multiple inheritance (多重继承), 715
 overloaded function (重载函数), 551
 override (覆盖), 528, 576
 override specifier (override说明符), 526, 529, 538
 overriding run-time binding (覆盖运行时绑定), 539
 overview (虚函数概述), 528
 pure (纯虚函数), 540
 resolved at run time (运行时解析), 536, 537
 return type (返回类型), 537
 scope (作用域), 550
 type-sensitive equality (类型敏感的相等运算符), 734
 virtual inheritance, *see* virtual base class (虚继承, 参见虚基类)
 Visual Studio (编译器), 4
 void, 30, 71
 return type (返回类型), 200
 void*, 50, 71
 conversion from pointer (从指针进行类型转换), 143
 volatile, 757, 764
 pointer (指针), 757
 synthesized copy-control members (合成的拷贝控制成员), 758
 vowel counting, program (元音计数程序), 160

wcin, 278
 wcout, 278
 weak ordering, strict (严格弱序), 398
 weak_ptr, 400, 420–421, 436
 definition (定义), 420
 initialization (初始化), 420
 lock, 420
 StrBlobPtr, 421
 wfstream, 278
 what, exception, 175, 693
 while statement (while语句), 10, 25, 165, 165–166, 178
 condition (条件), 10, 165
 wide character streams (宽字符流), 278
 wifstream, 278
 window, console (窗口, 控制台), 5
 Window_mgr, 250
 wiostream, 278
 wistream, 278
 wistringstream, 278
 wofstream, 278
 word (机器字), 31, 71
 word_count program (word_count 程序)
 map, 375
 set, 375
 unordered_map, 394
 word_transform program (word transform程序), 392
 WordQuery, 564, 568
 wostream, 278
 wostream, 278
 wregex, 649
 write, ostream ('>ostream), 676
 wstringstream, 278

X

\xnnn (hexadecimal escape sequence, 十六进制转义字符), 36

Z

ZooAnimal
 program (ZooAnimal程序), 710
 virtual base class (虚基类), 717

W

wcerr, 278
 wchar_t, 30
 literal (字面值常量), 37
 wchar_t streams (wchar_t流), 278