


Total Quality. Assured.

Test Report			Number:	SHAH012725	20
Applicant:	ROOM	ZHOU BEL BABY PRODUCT CO.,LIMITED NO.1211,NORTH MALL,165TH CENTRAL IONG ROAD,LIWAN DISTRICT,GUANGZHOU, JACKY	Date:	24 Dec, 2020	
Sample Description Two(2) sets o Item Name Item No. Quantity Labelled Age Packaging Pr Goods Expor Country Of O	f submitted Group rovided By ted To vrigin	Europe. China.			
	by the appl	licant, for details refer to attached page(s).	***************************************	************************	*********
Tested Sample Submitted Sar		<u>Standard</u> EN71-1: 2014+ A1: 2018 for Mechanical And Phy Requirement of Clause 4.2,4.15 and 7.10	sical Properties I	Excluding	<u>Result</u> Pass
		EN71-2: 2011+A1: 2014 Flammability Test			Pass
Tested compo submitted san		EN 71-3:2019 on migration of certain elements			Pass
		EN 71-3: 2019 on migration of certain elements & 2009/48/EC (effective from May, 20,2021) for Alur			Pass
		Cadmium content requirement in Commission Reg 20 May 2011, (EU) No. 835/2012 of 18 September of 16 February 2016 Amending Annex XVII Items (EC) No. 1907/2006	r 2012 and (EU)	No. 2016/217	Pass
*****	****	Polycyclic Aromatic Hydrocarbons (PAHs) content in REACH Regulation (EC) No. 1907/2006 & amendm	ent (EU) No. 1272	2/2013	Pass
					To be continued

To be continued

Authorized By: Intertek Testing Services Ltd .Zhejiang, Ningbo Branch





Page 1 of 14

Intertek Testing Services Ltd .Zhejiang, Ningbo Branch 浙江天祥质量技术服务有限公司宁波分公司 5/F No. 6 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China, 315000 宁波市高新区淩云路 1177 号凌云产业园 6 号楼 5 层 315000





Test Report	Number: SHAH01272520	
Conclusion: <u>Tested Sample</u> Tested component of submitted sample	<u>Standard</u> Phthalates content requirement in Annex XVII Item 51of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & Amendment Commission Regulation (EU) 2018/2005 (formerly known as Directive 2005/84/EC)	<u>Result</u> Pass
****	Phthalates content requirement in Annex XVII Items 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 (formerly known as Directive 2005/84/EC)	Pass

Authorized By: Intertek Testing Services Ltd .Zhejiang, Ningbo Branch

Peter Chen General Manager



Page 2 of 14

Intertek Testing Services Ltd .Zhejiang, Ningbo Branch 浙江天祥质量技术服务有限公司宁波分公司 5/F No. 6 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China, 315000 宁波市高新区淩云路 1177 号凌云产业园 6 号楼 5 层 315000



**Tests Conducted** 

Number: SHAH01272520

# 1 Mechanical and Physical Test

As Per European Standard on Safety of Toys EN71-1: 2014+ A1: 2018.

Applicant's Specified Age Group for Testing: For ages from 18 months to 60 months

The submitted samples were undergone the following abuse tests:				
Test	Clause	Parameter		
Torque Test	8.3	0.34 Nm		
Tension Test	8.4.2.1	90 N		
Protective Components	8.4.2.3	60 N		
Drop Test	8.5	850 mm x 5times		
Impact Test	8.7	1 kg		
Compression Test	8.8	110 N		

Clause	Testing Items	Assessment
4	General Requirements	
4.1	Material	Р
4.2	Assembly	NC#
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	Р
4.8	Points and metallic wires	Р
4.9	Protruding parts	Р
4.10	Parts moving against each other	NA
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	NC#
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	NA
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy disguise costumes	NA

Page 3 of 14

Intertek Testing Services Ltd .Zhejiang, Ningbo Branch 浙江天祥质量技术服务有限公司宁波分公司 5/F No. 6 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China, 315000 宁波市高新区淩云路 1177 号凌云产业园 6 号楼 5 层 315000



in	For	ta	
UI	ter	(C	
Total Q	uality. Assu	red.	

Number: SHAH01272520

Clause	Testing Items	Assessme
4.27	Flying toys	NA
5	Toys intended for Children under 36 Months	
5.1	General requirements	Р
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	NA
7	Warnings, markings and instructions for use	
7.1	General	Р
7.2	Toys not intended for children under 36 months	NA
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates and skateboards and certain other ride-on toys	NC#
7.11	Toys intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA

Page 4 of 14

Intertek Testing Services Ltd .Zhejiang, Ningbo Branch 浙江天祥质量技术服务有限公司宁波分公司 5/F No. 6 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China, 315000 宁波市高新区淩云路 1177 号凌云产业园 6 号楼 5 层 315000





Number: SHAH01272520

**Tests Conducted** 

Clause	se Testing Items Assess	
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Remark: P = Pass

NA = Not Applicable

# = As the applicant's request, the requirement of clause 4.2,4.15 and 7.10 was not assessed.

Remark: Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

- All the above markings were not found.

Date Sample Received: 21 Oct, 2020

Testing Period: 21 Oct, 2020 To 22 Oct, 2020

To be continued

5/F No. 6 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China, 315000 宁波市高新区淩云路 1177 号凌云产业园 6 号楼 5 层 315000





### **Tests Conducted**

### 2 Flammability Test

As per European Standard on Safety of Toys EN71-2: 2011+A1: 2014

Clause	Testing Items	Assessment
4.1	General	Р
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs, etc., made from hair, pile or material with similar features, which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from hair, pile or material with similar features, which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Flowing elements of toys to be worn on the head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft Filled Toys	NA

Remark : P = Pass

NA = Not Applicable

Date Sample Received: 21 Oct, 2020

Testing Period: 21 Oct, 2020 To 27 Oct, 2020

To be continued

SHAH01272520

Number:

Page 6 of 14

Intertek Testing Services Ltd .Zhejiang, Ningbo Branch 浙江天祥质量技术服务有限公司宁波分公司 5/F No. 6 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China, 315000 宁波市高新区淩云路 1177 号凌云产业园 6 号楼 5 层 315000





**Tests Conducted** 

### 3 <u>19 Toxic Elements Migration Test</u>

# (A) Test Result

As per EN 71-3:2019 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

<u>Element</u>	Result (mg/kg)				Limit (mg
	(1)#	(2)#	(3)#	(4)	
Aluminium (Al)	< 300	< 300	< 300	< 300	70000/281
Antimony (Sb)	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	47
Barium (Ba)	405	1781	26	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) **	< 0.025	< 0.025	< 0.025	< 0.025	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	15	< 10	< 10	1500
Mercury (Hg)	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	16	< 10	< 10	460
Strontium (Sr)	< 100	189	< 100	< 100	5600
Tin (Sn)	< 10	< 10	< 10	< 10	18000
Organic tin **	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	126	< 100	< 100	46000

To be continued

SHAH01272520

Number:

Page 7 of 14

Intertek Testing Services Ltd .Zhejiang, Ningbo Branch 浙江天祥质量技术服务有限公司宁波分公司 5/F No. 6 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China, 315000 宁波市高新区淩云路 1177 号凌云产业园 6 号楼 5 层 315000

3650 Fax: +86 574 8818 3680 www.intertek.com www.intertek.com.cn

Tel: +86 574 8818





Number: SHAH

SHAH01272520

**Tests Conducted** 

Element	Result (mg/kg)		Limit (mg/kg)
	(5)#	(6)	
Aluminium (Al)	< 300	< 300	70000/28130©
Antimony (Sb)	< 10	< 10	560
Arsenic (As)	< 10	< 10	47
Barium (Ba)	< 10	< 10	18750
Boron (B)	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	460
Chromium (VI) (Cr VI) ++	< 0.025	< 0.025	0.053
Cobalt (Co)	< 10	< 10	130
Copper (Cu)	< 10	< 10	7700
Lead (Pb)	< 10	< 10	23
Manganese (Mn)	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	94
Nickel (Ni)	< 10	< 10	930
Selenium (Se)	< 10	< 10	460
Strontium (Sr)	< 100	< 100	56000
Tin (Sn)	< 10	< 10	180000
Organić tin **	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	46000

Remark: mg/kg = Milligram per kilogram

++ = Unless the test results were marked with "#" or " $\Delta$ ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.

- Organic tin test result was expressed as tributyl tin.
- The new Aluminium (AI) migration limit [2250mg/kg for Category (I), 560mg/kg for Category (II), 28130mg/kg for Category (III)] was quoted from directive (EU) 2019/1922 amending 2009/48/EC effective from 20 May 2021.
- # = Confirmation of Chromium (VI) test was performed on the tested component. And the reported value of migration of Chromium (III) = migration value of total Chromium – migration value of Chromium(VI).
- Remark: As requested by the applicant, toxic elements content test were conducted only components listed in this report. Other components were not tested.

Tested Component(s): See component list in the last section of this report.

To be continued



Intertek Testing Services Ltd .Zhejiang, Ningbo Branch 浙江天祥质量技术服务有限公司宁波分公司 5/F No. 6 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China, 315000 宁波市高新区淩云路 1177 号凌云产业园 6 号楼 5 层 315000

3650 Fax: +86 574 8818 3680 www.intertek.com www.intertek.com.cn

Tel: +86 574 8818





**Tests Conducted** 

Number: SHAH01272520

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date Sample Received: 21 Oct, 2020 Testing Period: 21 Oct, 2020 To 27 Oct, 2020

To be continued

Page 9 of 14

Intertek Testing Services Ltd .Zhejiang, Ningbo Branch 浙江天祥质量技术服务有限公司宁波分公司 5/F No. 6 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China, 315000 宁波市高新区淩云路 1177 号凌云产业园 6 号楼 5 层 315000



#### Number: SHAH01272520

**Tests Conducted** 

#### 4 Cadmium (Cd) content

With reference to methods EN 1122 (Method B), acid digestion method was used and total Cadmium content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested component	Result in %
(1+2)	ND
(3)	ND
(4)	ND
(6)	ND

Requirement

Requirement:	
Category	Limit (%)
Paints with codes [3208] and [3209]	0.01
Paints with codes [3208] [3209] with a zinc content exceeding 10 % by weight of the paint	0.1
Painted article	0.1
Plastic	0.01
Metal parts of jewellery & hair accessories	0.01

Remark: % = Percentage based on dry weight of sample ND = not Detected (<0.0005%)

Tested Components: See component list in the last section of this report.

Date Sample Received: 21 Oct, 2020 Testing Period: 21 Oct, 2020 To 27 Oct, 2020

To be continued

Page 10 of 14

5/F No. 6 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China, 315000 宁波市高新区淩云路 1177 号凌云产业园 6 号楼 5 层 315000





Number: SHAH01272520

**Tests Conducted** 

5 Polycyclic Aromatic Hydrocarbons (PAHs) Content

With reference to AfPS GS 2014:01 PAK / AfPS GS 2019:01 PAK, by solvent extraction and determined by Gas Chromatographic - Mass Spectrometry (GC/MS).

Toy for children :

Compound	Result	Requirement (mg/kg) (Max.)	
	(1+2) (3) to (6)		
Benzo(a)pyrene	ND	ND	0.5
Benzo(e)pyrene	ND	ND	0.5
Benzo(a)anthracene	ND	ND	0.5
Chrysene	ND	ND	0.5
Benzo(b)fluoranthene	ND	ND	0.5
Benzo(j)fluoranthene	ND	ND	0.5
Benzo(k)fluoranthene	ND	ND	0.5
Dibenzo(a,h)anthracene	ND	ND	0.5

Remark : The above limit was quoted according to Annex XVII Items 50 of the REACH Regulation (EC) No.1907/2006 & amendment (EU) No. 1272/2013 for Polycyclic Aromatic Hydrocarbons (PAHs).

ND = Not Detected Detection limit = 0.2 mg/kg

Tested components: See component list in the last section of this report.

Date Sample Received: 21 Oct, 2020 Testing Period: 21 Oct, 2020 To 26 Oct, 2020

To be continued

Page 11 of 14

Intertek Testing Services Ltd .Zhejiang, Ningbo Branch 浙江天祥质量技术服务有限公司宁波分公司 5/F No. 6 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China, 315000 宁波市高新区淩云路 1177 号凌云产业园 6 号楼 5 层 315000





#### Number: SHAH01272520

**Tests Conducted** 

#### 6 Phthalate Content

With reference to ISO 8124-6: 2018 method A or C, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Tested Compound	CAS No.	Result (%,w/w)				<u>Limit (%,w/w)</u>
		(1+2)	(3)	(4)	(6)	<u>(Max.)</u>
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	-
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	ND	-
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	-
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	-
Sum of DBP, DEHP, BBP and DIBP		ND	ND	ND	ND	0.1

The above limit was quoted according to Annex XVII Item 51of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009& Amendment Commission Regulation (EU) 2018/2005 for phthalate content in articles. For toys and childcare articles, DIBP limit was quoted from Commission Regulation (EU) 2018/2005 effective from 7 July 2020.

For non-toys and non-childcare articles, DBP, DEHP, BBP, DIBP limit was quoted from Commission Regulation (EU) 2018/2005 effective from 7 July 2020.

Remark: Detection Limit = 0.01%(w/w) ND = Not Detected

Tested Components: See component list in the last section of this report.

Date Sample Received: 21 Oct, 2020 Testing Period: 21 Oct, 2020 To 26 Oct, 2020

To be continued

5/F No. 6 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China, 315000 宁波市高新区凌云路 1177 号凌云产业园 6 号楼 5 层 315000





### Number: SHAH01272520

**Tests Conducted** 

### 7 Phthalate Content

With reference to ISO 8124-6: 2018 method A or C, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Tested Compound	CAS No.	Result (%,w/w)				<u>Limit (%,w/w)</u>
		(1+2)	(3)	(4)	(6)	<u>(Max.)</u>
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	ND	-
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	ND	-
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	ND	-
Sum of DINP, DNOP and DIDP		ND	ND	ND	ND	0.1

The above limit was quoted according to Annex XVII Item 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 for phthalate content in toys and childcare articles.

Remark: Detection Limit = 0.01%(w/w) ND = Not Detected

Tested Components: See component list in the last section of this report.

Date Sample Received: 21 Oct, 2020 Testing Period: 21 Oct, 2020 To 26 Oct, 2020

To be continued

Intertek Testing Services Ltd .Zhejiang, Ningbo Branch 浙江天祥质量技术服务有限公司宁波分公司 5/F No. 6 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China, 315000 宁波市高新区淩云路 1177 号凌云产业园 6 号楼 5 层 315000





**Tests Conducted** 

Number: SHAH01272520



#### Components:

- (1) Red coating on metal.
- (2) Black coating on metal.
- (3) Black soft plastic(cover of metal wire).
- (4) Black synthetic leather(seat).
- (5) Black webbing.
- (6) Black foam(grip).

End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

This report shall not be reproduced except in full, without written approval of the laboratory.

Page 14 of 14

Intertek Testing Services Ltd .Zhejiang, Ningbo Branch 浙江天祥质量技术服务有限公司宁波分公司 5/F No. 6 Building, Lingyun Industry Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China, 315000 宁波市高新区淩云路 1177 号凌云产业园 6 号楼 5 层 315000

