

Applicant: Zhejiang Wanmei Toy Co., Ltd

Applicant Address: Binjiang Industrial Area, Dongcheng Street, Yongjia County, Wenzhou City, Zhejiang Province, China

The following samples were submitted and identified on behalf of the clients as

Sample Name: Functional Climbing Slide Set

Sample Description: Functional Climbing Slide Set

Model: WM21B392

Sample quantity : 1

Requested Age Grading: 3-6 years old

Labeled Age Grading: 3-6 years old

Test age: 3 years old and up

CPST Internal Reference No.: C220104106

Sample Received Date: Jan 04, 2022

Test Period: Jan 04, 2022 to Jan 17, 2022

Test Method: Please refer to next pages.

Test Result: Please refer to next pages.



Signed for and on behalf of
Eurones (Dongguan) Consumer Products Testing Service Co., Ltd

WRITTEN BY :

Silvia Chan

Chen Xiao Ting, Silvia
Report writer

REVIEWED BY:

Sunshine Liu

Liu Xiao Fang, Sunshine
Report Reviewer

APPROVED BY:

Will Pan

Pan Jian Ding, Will
Technical Supervisor

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



CONCLUSION :

<u>TESTED SAMPLES</u>	<u>TEST ITEM</u>	<u>RESULT</u>
Functional Climbing Slide Set	1. In accordance with Toys (Safety) Regulations 2011 issued by the UK, to perform the related testing:	
	1) BS EN 71-1:2014+A1:2018 – Mechanical and Physical Properties	PASS
	2) BS EN 71-2:2020 – Flammability	PASS
	3) BS EN 71-3:2019+A1:2021 – Migration of certain elements	PASS
	2. Lead (Pb) content - Annex XVII of the EU regulation applies directly in UK	PASS
	3. Cadmium (Cd) content - Annex XVII of the EU regulation applies directly in UK	PASS
	4. Phthalates Content - Annex XVII of the EU regulation applies directly in UK	PASS

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.





Photo of the Submitted Sample



Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.





Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



Test Result(s):

Description of Specimen	No.1	Functional Climbing Slide Set
	No.2	Grey plastic (plastic nut)
	No.3	Green plastic (slide)
	No.4	White plastic (slide)
	No.5	Brown plastic (guardrail)
	No.6	Coating (Hanging Bar)
	No.7	White woven rope (drop rope)

1.1) BS EN 71-1:2014+A1:2018 – Mechanical and Physical Properties

Section	Description	Result
		No.1
4	General requirement	---
4.1	Material cleanliness (by visual assessment)	Pass
4.2	Assembly	Pass
4.3	Flexible plastics sheeting	N.A.
4.4	Toy bags	N.A.
4.5	Glass	N.A.
4.6	Expanding materials	N.A.
4.7	Edges	Pass
4.8	Points and metallic wires	Pass
4.9	Protruding parts	N.A.
4.10	Parts moving against each other	---
4.10.1	Folding and sliding mechanisms	N.A.
4.10.2	Driving mechanisms	N.A.
4.10.3	Hinges	N.A.
4.10.4	Springs	N.A.
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	N.A.
4.12	Balloons	N.A.
4.13	Cords of toy kites and other flying toys	N.A.
4.14	Enclosures	---
4.14.1	Toys which a child can enter	N.A.
4.14.2	Masks and helmets	N.A.
4.15	Toys intended to bear the mass of a child	---
4.15.1	Toys propelled by the child or by other means	N.A.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



<u>Section</u>	<u>Description</u>	<u>Result</u>
		No.1
4.15.2	Toy bicycles	N.A.
4.15.3	Rocking horses and similar toys	N.A.
4.15.4	Toys not propelled by a child	Pass
4.15.5	Toy scooters.	N.A.
4.16	Heavy immobile toys	N.A.
4.17	Projectiles	---
4.17.1	General	N.A.
4.17.2	All projectiles	N.A.
4.17.3	Projectile toys with stored energy	N.A.
4.17.4	Certain projectile toys without stored energy	N.A.
4.18	Aquatic toys and inflatable toys	N.A.
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	N.A.
4.20	Acoustics	N.A.
4.21	Toys containing a non-electrical heat source	N.A.
4.22	Small balls	N.A.
4.23	Magnets	---
4.23.1	General	N.A.
4.23.2	Toys other than magnetic/electrical experimental sets intended for children over 8 years	N.A.
4.23.3	Magnetic/electrical experimental sets intended for children over 8 years	N.A.
4.24	Yo-yo balls	N.A.
4.25	Toys attached to food	N.A.
4.26	Toy disguise costumes	N.A.
4.27	Flying toys	---
4.27.1	General	N.A.
4.27.2	Rotors and propellers on flying toys	N.A.
4.27.3	Rotors and propellers on remote controlled flying toys	N.A.
5	Toys intended for children under 36 months.	---
5.1	General requirements	N.A.
5.1a	Small part requirement on toys & removable components	N.A.
5.1b	Abuse test (see test method 8)	N.A.
5.1c	Potential hazardous metal points and wires with a cross section of 2mm or less	N.A.
5.1d	Large and bulky toys	N.A.
5.1e	Glued wooden toys and toys with glued-on plastic decals	N.A.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



Section	Description	Result
		No.1
5.1f	The casing of toys intended for children too young to sit up unaided	N.A.
5.1g	Foam toys and toys containing accessible foam	N.A.
5.2	Soft-filled toys and soft-filled parts of a toy	N.A.
5.3	Plastic sheeting	N.A.
5.4	Cords, chains and electrical cables in toys	---
5.4.1	General	N.A.
5.4.2	Cords and chains in toys intended for children under 18 months	N.A.
5.4.3	Cords and chains in toys intended for children of 18 months or over but under 36 months	N.A.
5.4.4	Fixed loops, tangled loops and nooses	N.A.
5.4.5	Cords and chains on pull along toys	N.A.
5.4.6	Electrical cable	N.A.
5.4.7	Cross-sectional dimension of certain cords	N.A.
5.4.8	Self-retracting cords	N.A.
5.4.9	Toys attached to or intended to be strung across a cradle, cot or perambulator	N.A.
5.5	Liquid-filled toys	N.A.
5.6	Speed limitation of electrically-driven ride-on toys	N.A.
5.7	Glass and porcelain	N.A.
5.8	Shape and size of certain toys	N.A.
5.9	Toys comprising monofilament fibres	N.A.
5.10	Small balls	N.A.
5.11	Play figures	N.A.
5.12	Hemispheric-shaped toys	N.A.
5.13	Suction cups	N.A.
5.14	Straps intended to be worn fully or partially around the neck	N.A.
5.15	Sledge with cords for pulling	N.A.
6	Packaging	N.A.
7	Warnings, markings and instructions for use	---
7.1	General	Pass
7.2	Toys not intended for children under 36 months	N.A.
7.3	Latex Balloons	N.A.
7.4	Aquatic toys	N.A.
7.5	Functional Toys	N.A.
7.6	Hazardous sharp functional edges and points	N.A.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



<u>Section</u>	<u>Description</u>	<u>Result</u>
		No.1
7.7	Projectile toys	N.A.
7.8	Imitation protective masks and helmets	N.A.
7.9	Toy kites	N.A.
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	---
7.10.1	Roller skates, inline skates and skateboards	N.A.
7.10.2	Ride-on toys without a braking device	N.A.
7.10.3	Electrically-driven ride-on toys	N.A.
7.10.4	Instructions for use	N.A.
7.11	Toys otherwise intended to be strung across a cradle, cot, or perambulator	N.A.
7.12	Liquid-filled teethingers	N.A.
7.13	Percussion caps specifically designed for use in toys	N.A.
7.14	Acoustics	N.A.
7.15	Toy bicycle	N.A.
7.16	Toys intended to bear the mass of child	N.A.
7.17	Toys comprising monofilament fibres	N.A.
7.18	Toy scooters	N.A.
7.19	Rocking horses and similar toys	N.A.
7.20	Magnetic/electrical experimental sets	N.A.
7.21	Toys with electrical cables exceeding 300 mm in length	N.A.
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	N.A.
7.23	Toys intended to be attached to a cradle, cot or perambulator	N.A.
7.24	Sledge with cords for pulling	N.A.
7.25	Flying toys	---
7.25.1	Flying toys	N.A.
7.25.2	Remote controlled flying toys	N.A.
7.26	Improvised projectiles	N.A.
8	Test Methods	---
8.3	Torque Test	Pass
8.4	Tension Test	Pass
8.5	Drop Test	N.A.
8.6	Tip over Test	Pass
8.7	Impact Test	Pass
8.8	Compression Test	Pass
8.9	Soaking Test	N.A.
8.13	Flexure Test	N.A.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



<u>Section</u>	<u>Description</u>	<u>Result</u>
		No.1
8.34	Tension test for magnets	N.A.

N.A. = Not Applicable

The sample No.1 was resubmitted by client dated on Jan 17, 2022.

1.2)BS EN 71-2:2020 – Flammability

<u>Section</u>	<u>Description</u>	<u>Result</u>
		No.1
4	Requirements	
4.1	General requirements	Pass
4.2	Toys to be worn on the head	N.A.
4.3	Toys disguise costumes and toys intended to be worn by a child in play	N.A.
4.4	Toys intended to be entered by a child	N.A.
4.5	Soft filled toys	N.A.

N.A. = Not Applicable

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



1.3) BS EN 71-3:2019+A1:2021 – Migration of certain elements

Test Method: With reference to BS EN 71-3:2019+A1:2021, analysis was performed by Instruments.

Test Items	Unit	Result						MDL
		Category III						
		No.2	No.3	No.4	No.5	No.6	No.7	
Soluble Aluminum(Al)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5
Soluble Antimony(Sb)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.02
Soluble Arsenic(As)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.02
Soluble Barium(Ba)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5
Soluble Boron(B)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5
Soluble Cadmium(Cd)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.05
Soluble trivalent chromium(Cr ³⁺)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.05
Soluble hexavalent chrome(Cr ⁶⁺)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.02
Soluble Cobalt (Co)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.02
Soluble Copper (Cu)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5
Soluble Lead (Pb)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.05
Soluble Manganese (Mn)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5
Soluble Mercury (Hg)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.02
Soluble Nickel (Ni)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.05
Soluble Selenium (Se)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.2
Soluble strontium (Sr)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5
Soluble Tin (Sn)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5
Soluble Organotin	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.1
Soluble Zinc (Zn)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5
Conclusion	PASS							

Note:

1. mg/kg = milligram per kilogram = ppm
2. N.D. = Not Detected (< MDL)
3. MDL = Method Detection Limit

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



Annex

Soluble Element	Limit (mg/kg)		
	Category I	Category II	Category III
	Dry, brittle, powder-like or pliable toy material	Liquid or sticky toy material	Scraped-off toy material
Soluble Aluminum(Al)	2250	560	28130
Soluble Antimony(Sb)	45	11.3	560
Soluble Arsenic(As)	3.8	0.9	47
Soluble Barium(Ba)	1500	375	18750
Soluble Boron(B)	1200	300	15000
Soluble Cadmium(Cd)	1.3	0.3	17
Soluble trivalent chromium(Cr^{3+})	37.5	9.4	460
Soluble hexavalent chrome (Cr^{6+})	0.02	0.005	0.053
Soluble Cobalt (Co)	10.5	2.6	130
Soluble Copper (Cu)	622.5	156	7700
Soluble Lead (Pb)	2.0	0.5	23
Soluble Manganese (Mn)	1200	300	15000
Soluble Mercury (Hg)	7.5	1.9	94
Soluble Nickel (Ni)	75	18.8	930
Soluble Selenium (Se)	37.5	9.4	460
Soluble strontium (Sr)	4500	1125	56000
Soluble Tin (Sn)	15000	3750	180000
Soluble Organotin	0.9	0.2	12
Soluble Zinc (Zn)	3750	938	46000

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



2. Lead (Pb) content - Annex XVII of the EU regulation applies directly in UK

Test Method: With reference to BS IEC 62321-5:2013, analysis was performed by ICP-OES.

Test Item	Unit	Result						MDL	Limit
		No.2	No.3	No.4	No.5	No.6	No.7		
Lead (Pb)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	10	500

Note:

1. mg/kg = milligram per kilogram = ppm
2. N.D. = Not Detected (< MDL).
3. MDL = Method Detection Limit.

3. Cadmium(Cd) content - Annex XVII of the EU regulation applies directly in UK.

Test Method: With reference to BS IEC 62321-5:2013, analysis was performed by ICP-OES.

Test Item	Unit	Result						MDL	Limit
		No.2	No.3	No.4	No.5	No.6	No.7		
Cadmium (Cd)	mg/kg	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2	100

Note:

1. mg/kg = milligram per kilogram = ppm
2. MDL = Method Detection Limit.
3. N.D. = Not Detected (< MDL).

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



4. Phthalates Content - Annex XVII of the EU regulation applies directly in UK

Test Method: With reference to BS EN 14372:2004, analysis was performed by Gas Chromatograph-Mass Spectrometer (GC-MS).

Test Item	CAS No.	Unit	Results			MDL	Limit
			No.2	No.3	No.4		
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	%(w/w)	N.D.	N.D.	N.D.	0.005	/
Di-butyl phthalate (DBP)	84-74-2	%(w/w)	N.D.	N.D.	N.D.	0.005	/
Butyl benzyl phthalate (BBP)	85-68-7	%(w/w)	N.D.	N.D.	N.D.	0.005	/
Di-isobutyl phthalate (DIBP)	84-69-5	%(w/w)	N.D.	N.D.	N.D.	0.005	/
Total (DEHP+ DBP+ BBP+ DIBP)	/	%(w/w)	N.D.	N.D.	N.D.	/	0.1
Di-isononyl phthalate (DINP)	28553-12-0 68515-48-0	%(w/w)	N.D.	N.D.	N.D.	0.010	/
Di-iso-decyl phthalate (DIDP)	26761-40-0 68515-49-1	%(w/w)	N.D.	N.D.	N.D.	0.010	/
Di-n-octyl phthalate (DNOP)	117-84-0	%(w/w)	N.D.	N.D.	N.D.	0.005	/
Total (DINP+DIDP+ DNOP)	/	%(w/w)	N.D.	N.D.	N.D.	/	0.1

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



Test Item	CAS No.	Unit	Results			MDL	Limit
			No.5	No.6	No.7		
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	%(w/w)	N.D.	N.D.	N.D.	0.005	/
Di-butyl phthalate (DBP)	84-74-2	%(w/w)	N.D.	N.D.	N.D.	0.005	/
Butyl benzyl phthalate (BBP)	85-68-7	%(w/w)	N.D.	N.D.	N.D.	0.005	/
Di-isobutyl phthalate (DIBP)	84-69-5	%(w/w)	N.D.	N.D.	N.D.	0.005	/
Total (DEHP+ DBP+ BBP+ DIBP)	/	%(w/w)	N.D.	N.D.	N.D.	/	0.1
Di-isononyl phthalate (DINP)	28553-12-0 68515-48-0	%(w/w)	N.D.	N.D.	N.D.	0.010	/
Di-iso-decyl phthalate (DIDP)	26761-40-0 68515-49-1	%(w/w)	N.D.	N.D.	N.D.	0.010	/
Di-n-octyl phthalate (DNOP)	117-84-0	%(w/w)	N.D.	N.D.	N.D.	0.005	/
Total (DINP+DIDP+ DNOP)	/	%(w/w)	N.D.	N.D.	N.D.	/	0.1

Note:

1. % = percentage by weight.
2. 0.0001% = 1 mg/kg.
3. MDL = Method Detection Limit.
4. N.D. = Not Detected (< MDL).

Remark: As specified by applicant, to test content in the selected materials of the submitted samples. The test results are only responsible for the submitted sample.


Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



400 111 6218

Eurones (Dongguan) Consumer Products Testing Service Co., Ltd. Tel: (86-769) 38937858 Fax: (86-769) 38937859 Http://www.cpstlab.com
Room 1092, No.12, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China Postcode: 523945 E-mail: service@cpstlab.com


Migration of certain elements Testing Flow Chart



Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.




Cadmium Testing Flow Chart



Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.




Phthalates Testing Flow Chart



Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



Polycyclic Aromatic Hydrocarbons Testing Flow Chart



*** End of Report ***

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

