



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31115006-011

Harvest/Lot ID: HRIPE102523

Batch#: HRIPE102523

Sample Size Received: 1 gram

Total Amount: 1 units

Retail Product Size: 1 gram

Ordered: 11/14/23


Sampled: 11/15/23

Completed: 11/16/23

Sampling Method: SOP.T.20.010.FL

PASSED

Nov 16, 2023 | HIGH ROLLER PRIVATE LABEL LLC


4095N 28TH WAY
HOLLYWOOD, FL, 33020, US


Pages 1 of 1

PRODUCT IMAGE



SAFETY RESULTS


Pesticides
NOT TESTED

Heavy Metals
NOT TESTED

Microbials
NOT TESTED

Mycotoxins
NOT TESTED

Residuals Solvents
NOT TESTED

Filtration
NOT TESTED

Water Activity
NOT TESTED

Moisture
NOT TESTED

Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED

Total THC
0.294%

Total CBD
ND

Total Cannabinoids
83.776%

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.294	ND	ND	ND	83.148	ND	ND	0.334	ND	ND	ND
mg/unit	2.94	ND	ND	ND	831.48	ND	ND	3.34	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 4044

Weight:
0.1007g

Extraction date:
11/15/23 11:32:53

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA066421POT

Instrument Used : DA-LC-007

Analyzed Date : 11/15/23 11:34:05

Reviewed On : 11/16/23 12:36:01

Batch Date : 11/15/23 10:42:48

Dilution : 40

Reagent : 100423.01; 111423.R05; 060723.50; 070121.27; 110723.R05

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
11/16/23