


Chapter 0

Prelude

Von Neumann Architecture



Procedural

Object-oriented


Imperative Programming
= Assignment + Control Flow + IO

Cobol
Fortran
Pascal
Algol
Smalltalk
Java
Scheme
C

`:=` set!
`=` `<-`

Assignment
statement

Imperative Programming



Assignment

Sequencing

```
do-something-useful() {  
  do-this();  
  do-that();  
  while(this-is-true()) {  
    do-foo();  
    do-bar() }  
  continue();  
  if(machine-status-is-whatever())  
    do-something-special()  
}
```

Statements & procedures
have side effects in memory

Assignment = “Root of All Evil”

<- := set! =

Functional Decomposition

Concurrency

Proving Correctness

↔ “Side Effects”

↔ “Race Conditions”

↔ “Variables that vary”

*The problem with computer science is
that variables actually vary [C. Strachey]*

Assignment as Root of All Evil

... led to FP



John Backus

- Inventor of Fortran

- 1977 Turing Award Lecture:

*“Can Programming Be Liberated
from the Von Neumann Style ?”*

Implicit Side Effects

`cin >> ...`

`cout << ...`

`rocket.launch()`


`socket.send()`

Referential Transparency *f(x)*

The defining property of
Functional Programming

$$f(x) = f(x)$$

Enemies of Referential Transparency



History of Functional Languages

λ -calculus (Alonzo Church - 1936)

Lisp (McCarthy - 1958)

Scheme (Steele - 1975)

SASL (David Turner - 1976)

FP (John Backus - 1977)

ML (Robin Milner - 197x)

Miranda (David Turner - 1985)

Erlang (Joe Armstrong - 1986)

Haskell (Hudak & al - 1988)

“pure” vs. “impure” languages

strict vs. nonstrict languages

acmqueue

The Curse of the Excluded Middle

“Mostly functional” programming does not work

Erik Meijer

CACM
June 2014

A Note on Typing ...

is about
program text


Static Typing
=
(variables have a type)

Type Checking

Type Inferencing


is about
runtime heap

Dynamic Typing
=
(values have a type)



Course Contents

- Programming in Haskell
- Advanced FP Topics



Expose you to

- static typing tradition
- equational reasoning
- monadic side-effects
- concurrency models


Haskell

- Designed by committee
- Pure
- Non-Strict (Lazy)
- Statically Typed
- Recently revisited



Haskell Curry

Reference Book for First Part



[Miran Lipovača]
Learn You a Haskell for Great Good!

Chapter 0

